


TGBMA - 63



1

TGBMA-63 () 50Hz/60Hz 1A
 63A 230V 400V IT

2



3

3.1 1 1

		TGBMA-63
		IEC60947-2 GB/T14048.2
		CCC
		1P 2P 3P 4P
(Hz)		50/60
(A)	I_{nm}	63
(A)	I_n	1 2 3 4 5 6 10 16 20 25 32 40 50 63
(V)	U_e	AC230/400 1P AC230 2P AC400 2P 3P 4P
(V)	U_i	690
(kV)	U_{imp}	6
(kA)	I_{cs}	6
(kA)	I_{cu}	6
		C(8I _n ±20%) D(12I _n ±20%)
		3
		MK CF SD MK+CF + M MN M+MN MMS
		10000
		20000
		IP20

TGBMA- 63

1

	TGBMA- 63
	-35 +70
	2000m
	16mm ²
	2.5N·m
	II III
	THB5- 7.5(1.0)


3.2

2


C	6.4In		t 0.2s		
	9.6In		t 0.2s		
D	9.6In		t 0.2s		
	14.4In		t 0.2s		

" " +30

3.3



1 C



2 D

3.4

16mm²

(3)


2.5N·m

3

A	mm ²
1 6	1
10	1.5
16 20	2.5
25	4
32	6
40 50	10
63	16

TGBMA- 63

4



5

- 5.1 TGBMA- 63D
- 5.2 3P
- 5.3 D
- 5.4 40A
- 5.5 1000
- 5.6 TGBMA- 63D 3P 40A 1000